

CATALOG

KITCHEN EQUIPMENT FACTORY



"WE BRING YOUR DREAM KITCHEN TO REALITY"

-2026-



ABOUT US

Founded in 2019 by the team behind **Garrana Group, Kitchen Equipment Factory (KEF)** is a leading manufacturer of premium commercial **kitchen equipment and stainless steel furniture**. Based in Egypt, KEF merges decades of industry expertise with state-of-the-art technology to deliver superior products to the global foodservice sector. Utilizing advanced machinery—including **CNC systems, laser cutting, and TIG welding**—our factory produces durable, precision-engineered equipment that adheres to international quality standards. Committed to excellence, KEF provides reliable, high-performance solutions **proudly manufactured in Egypt** for customers worldwide.

INDEX

05 PREPARATION STATIONS

- Tables 05
- Cabinets 09
- Stands 16
- Sinks 18
- Shelves 22
- Trolly 26

28 REFRIGERATION

- Door Cabinet 28
- REFRIGERATED CABINET TABLE 30

26 HOT LINE

- Hoods 34
- RANGES 37
- Shelves 12
- Cabinets 15
- Stands 16



PREPARATION STATIONS



TABLES



•TABLE WITH FRAME ON THE 3 SIDES

MODE

DIMENSIONS

K7-WT-9	900 X 700 X 850 H.
K7-WT-14	1400X 700 X 850 H.
K7-WT-18	1800 X 700 X 850 H.

Stainless steel worktable by KEF Egypt with a 1.5 mm thick top and 40×40 mm frame. Equipped with adjustable heavy-duty feet for stability. Perfect for commercial kitchen use.



•TABLE WITH UNDER SHELF
(K7-WT-16-US)

MODE

DIMENSIONS

K7-WT-9-US	900 X 700 X 850 H.
K7-WT-16-US	1600X 700 X 850 H.
K7-WT-18-US	1800 X 700 X 850 H.

Stainless steel worktable with 1.5 mm top and 2 mm undershelf for added storage. Constructed with a 40×40 mm frame and adjustable heavy-duty feet. Ideal for commercial kitchen use.



• Worktable With Under shelf and back splash
(K7-WT-16-B-US)

MODE

DIMENSIONS

K7-WT-13-B	900 X 700 X 850 H.
K7-WT-18-B	1100X 700 X 850 H.
K7-WT-18-B-US	1400 X 700 X 850 H.

Stainless steel worktable by KEF Egypt, featuring a 1.5 mm worktop, 1.2 mm undershelf, and 10 cm back splash. Built on a 40×40 mm frame with adjustable heavy-duty feet. Ideal for commercial kitchen use.



• TABLE WITH LATERAL ELEMENT WITH DRAWERS

MODEL

K7-WT-12-1DU3

DIMENSIONS

1200 X 700 X 850 H.

K7-WT-14-1DU3

1400X 700 X 850 H.

K7-WT-16-1DU3

1600 X 700 X 850 H.

The KEF Table with Lateral Element and Drawers is crafted from premium AISI 304 stainless steels for organized storage. Made from AISI 304 stainless steel, it ensures durability and efficient workflow in commercial kitchens.



• SORTING TABLE WITH HOLE GRABAGE BIN

MODEL

K7-RT-10-RGH

DIMENSIONS

1000 X 700 X 850 H.

K7-RT-14-RGH

1400X 700 X 850 H.

K7-RT-16-RGH

1600 X 700 X 850 H.

The KEF Sorting Table with Hole and Integrated Garbage Bin is constructed from premium AISI 304 stainless steel for durability, hygiene, and easy cleaning. Designed for efficient kitchen prep, it features a convenient cutout for waste disposal directly into the built-in bin, helping maintain a clean and organized workspace. Ideal for restaurants, hotels, and high-volume commercial kitchens.



• U-Shaped Prep Table with Backsplash

MODEL

K7-CT-6

DIMENSIONS

600 X 700 X 850 H.

K7-CT-9

900X 700 X 850 H.

K7-CT-12

1200 X 700 X 850 H.

U-Shaped Prep Table with Backsplash by KEF Egypt, crafted from AISI 304 stainless steel with a 1.5 mm thick worktop and integrated backsplash. Supported by a sturdy 40×40 mm square tube frame with adjustable heavy-duty feet for stability. Designed to maximize workspace in commercial kitchens.



- Butcher's Block

MODEL

K 5 - BB - 5

DIMENSIONS

700 X 700 X 850 H.

K 6 - BB - 6

900 X 900 X 850 H.

K 7 - BB - 7

1100 X 1100 X 850 H.

Cutting Block Table (CB60) by KEF Egypt, featuring a 10–15 cm thick Artilon top and a durable 4×4 cm stainless steel frame. Designed for high-performance cutting tasks in commercial kitchens, butcher shops, and food service facilities.



- Receiving Table

MODELK 7 - RT - 12 -
RGH - RS**DIMENSIONS**

1200 X 700 X 850 H.

K 7 - RT - 14 -
RGH - RS

1400 X 700 X 850 H.

K 7 - RT - 16 -
RGH - RS

1600 X 700 X 850 H.

Receiving Table by KEF Egypt, constructed from durable AISI 304 stainless steel. Features a 1.5 mm thick worktop with a garbage hole, a 1.2 mm upper shelf, and a 10 cm backsplash. Built on a 40×40 mm square tube frame with 4 adjustable heavy-duty feet. Ideal for commercial kitchens and food service operations.



- TABLE WITH DROP COLLECTION SHELF

MODEL

K 7 - DCT - 9

DIMENSIONS

900 X 700 X 850 H.

K 7 - DCT - 14

1400 X 700 X 850 H.

K 7 - DCT - 16

1600 X 700 X 850 H.

Draining Work Table – KEF Egypt Minimal, functional, and built for flow. This AISI 304 stainless steel table features a perforated top for drainage and ventilation, supported by a robust 40×40 mm frame with adjustable feet for stability.



CABINETS



• OPEN CABINET TABLE WITH BACK AND MIDDLE SHELF AND BACKSPLASH

MODE

K7-SC-9-B-US

DIMENSIONS

900 X 700 X 850 H.

K7-SC-14-B-US

1400 X 700 X 850 H.

K7-SC-18-B-US

1800 X 700 X 850 H.

The KEF Open Cabinet Table is crafted from premium AISI 304 stainless steel for durability and hygiene. It features a sturdy back, a middle shelf for additional storage, and a backsplash to protect walls, providing organized and efficient workspace for commercial kitchens, restaurants, and catering operations.



• CABINET TABLE WITH SLIDING DOORS

MODE

K7-SC-9-US-WD2

DIMENSIONS

900 X 700 X 850 H.

K7-SC-14-US-WD2

1400 X 700 X 850 H.

K7-SC-18-US-WD2

1800 X 700 X 850 H.

KEF Egypt Cabinet Work Table with Sliding Doors: Constructed from AISI 304 stainless steel, featuring a 1.5 mm thick top and sliding-door cabinet for efficient storage; designed for durability and corrosion resistance in commercial kitchens.



• CABINET TABLE WITH SLIDING DOORS

MODE

K7-SC-9-B-US-WD2

DIMENSIONS

900 X 700 X 850 H.

K7-SC-14-B-US-WD2

1400 X 700 X 850 H.

K7-SC-18-B-US-WD2

1800 X 700 X 850 H.

Cabinet Work Table with Sliding Doors and Backsplash – Crafted by KEF Egypt from AISI 304 stainless steel with a 1.5 mm thick top and a built-in backsplash; features sliding doors for enclosed storage.



• CABINET TABLE WITH DOUBLE WHEEL DOORS AND SET OF DRAWERS

MODEL

K7-SC-9-LDU3US-WD2

DIMENSIONS

900 X 700 X 850 H.

K7-SC-14-LDU3-USWD2

1400 X 700 X 850 H.

K7-SC-18-LDU3-USWD2

1800 X 700 X 850 H.

Constructed from AISI 304 stainless steel, this work table combines double sliding doors, a mid-shelf, and a set of drawers for efficient storage and organization. Built for durability, hygiene, and performance in professional kitchen environments.



• CABINET TABLE WITH DOUBLE WHEEL DOORS AND SET OF DRAWERS AND BACKSPLASH

MODEL

K7-SC-9-B-LDU3-US-WD2

DIMENSIONS

900 X 700 X 850 H.

K7-SC-14-B-LDU3-US-WD2

1400 X 700 X 850 H.

K7-SC-18-B-LDU3-US-WD2

1800 X 700 X 850 H.

Work Table with Drawers & Sliding Doors (KEF Egypt): Constructed from AISI 304 stainless steel with a 1.5 mm thick top, featuring 3 top drawers and sliding-door cabinet with internal shelving, supported by adjustable stainless steel feet for stability.



•TABLE WITH DRAWERS WITH WHEEL DOORS WITH BACKSPLASH

MODEL

K7-SC-12-B-D3-WD2

DIMENSIONS

1200 X 700 X 850 H.

K7-SC-14-B-D3-WD2

1400 X 700 X 850 H.

K7-SC-18-B-D3-WD2

1800 X 700 X 850 H.

Work Table with Drawers & Sliding Doors – Crafted by KEF Egypt from AISI 304 stainless steel, featuring a 1.5 mm thick worktop, a 10 cm backsplash, 3 top drawers and sliding-door cabinet with internal shelving. Supported by adjustable feet for stability in commercial kitchen settings.



Cooking Station Base Unit

MODEL

DIMENSIONS

K7-SC-12-B-WD2	1200 X 700 X 850 H.
K7-SC-14-B-WD2	1400 X 700 X 850 H.
K7-SC-18-B-WD2	1800 X 700 X 850 H.

Cooking Station Base Unit – KEF Egypt Crafted from AISI 304 stainless steel with a 1.5 mm thick worktop and open cabinet below. Built on a 40×40 mm square-tube frame with adjustable stainless steel feet for stability and leveling. Ideal for commercial kitchen environments.



• TABLE WITH 2 SIDE UNITS WITH DRAWERS

MODEL

DIMENSIONS

K7-SC-12-B-2DU3-US	1200 X 700 X 850 H.
K7-SC-14-B-2DU3-US	1400 X 700 X 850 H.
K7-SC-18-B-2DU3-US	1800 X 700 X 850 H.

Crafted from AISI 304 stainless steel, this work table features a 1.5 mm thick worktop, complemented by two side units with drawers for organized storage. Built on a 40×40 mm square-tube frame with adjustable heavy-duty feet, ensuring stability and easy leveling in commercial kitchen environments.



• BAKING TABLE

MODEL

DIMENSIONS

K7-KT-11-US-WD2	1100 X 700 X 850 H.
K7-KT-14-US-WD2	1400 X 700 X 850 H.
K7-KT-20-US-WD2	2000 X 700 X 850 H.

Baking table constructed from AISI 304 stainless steel with a 1.5 mm thick worktop, ideal for dough handling and pastry preparation. Built on a sturdy 40×40 mm square-tube frame with adjustable heavy-duty feet to ensure stability and precise leveling in professional baking environments.



- TABLE UNIT EQUIPPED WITH SWING DOOR DRAWER UNIT - OPEN COMPARTMENT

MODEL

K8-SC-19-B-HD1
-LDU3-US-US

DIMENSIONS

1900 X 800 X 850 H.

K8-SC-24-B-HD1
-LDU3-US-US

2400 X 800 X 850 H.

K8-SC-28-B-HD1
-LDU3-US-US

2800 X 800 X 850 H.

Table unit made from AISI 304 stainless steel with a 1.5 mm thick worktop, featuring a swing door, integrated drawer unit, and an open compartment for versatile storage. Built on a 40×40 mm square-tube frame with adjustable heavy-duty feet for stability and precise leveling in commercial kitchen environments.



- CORNER CABINET TABLE WITH BACKSPLASH AND FIXED MIDDLE SHELF

MODEL

K8-CSC
-6-B-HD1

600 X 700 X 850 H.

K8-CSC
-10-B-HD1

1000 X 700 X 850 H.

K8-CSC
-14-B-HD1

1400 X 700 X 850 H.

Corner cabinet table crafted from AISI 304 stainless steel with a 1.5 mm thick worktop, featuring an integrated backsplash and a fixed middle shelf for optimized storage. Built on a sturdy 40×40 mm square-tube frame with adjustable heavy-duty feet for stability and easy leveling in commercial kitchen settings.



- CORNER CABINET TABLE WITH BACKSPLASH AND FIXED MIDDLE SHELF

MODEL

K7-DU4-6

600 X 700 X 850 H.

K7-DU4-6-B

600 X 700 X 850 H.

K7-DU4-9-B

900 X 700 X 850 H.

Corner cabinet table made from AISI 304 stainless steel with a 1.5 mm thick worktop, equipped with a backsplash and a fixed middle shelf for organized storage. Supported by a 40×40 mm square-tube frame with adjustable heavy-duty feet for stability and leveling in commercial kitchens.



- Wall Cabinet With Sliding Doors

MODEL

K6-WSC-11
-US-WD2

DIMENSIONS

1100 X 400 X 600 H.

K6-WSC-14
-US-WD2

1400 X 400 X 600 H.

K6-WSC-18
-US-WD2

1800 X 400 X 600 H.

Wall cabinet with sliding doors (pensile a parete con porte scorrevoli) Size: 160 cm (width) × 40 cm (depth) × 66 cm (height) Features: Made of stainless steel, with two sliding doors, an adjustable interior shelf (3 height levels), and wall-mounting hardware.



- WALL CABINET WITH SLIDING DOORS AND GRIDDED SHELVES

MODEL

K6-WSC-11
-GS-WD2

DIMENSIONS

1100 X 400 X 600 H.

K6-WSC-14
-GS-WD2

1400 X 400 X 600 H.

K6-WSC-18
-GS-WD2

1800 X 400 X 600 H.

Wall Cabinet with Sliding Doors & Gridded Shelves – KEF Egypt Crafted from high-grade AISI 304 stainless steel, featuring smooth sliding doors and internal gridded shelving for enhanced ventilation and organized storage —ideal for professional kitchen settings.



- Wall Cabinet With Sliding Doors

MODEL

K6-WSC
-10-US1

1000 X 600 X 1000 H.

K6-WSC
-14-US1

1400 X 600 X 1000 H.

K6-WSC
-18-US1

1800 X 600 X 1000 H.

Wall Cabinet with Sliding Doors – KEF Egypt Crafted from premium AISI 304 stainless steel, this wall-mounted cabinet features smooth sliding doors and a central shelf for efficient storage and hygiene in commercial kitchens.



- Wall Cabinet With Sliding Doors

MODEL**DIMENSIONS**

K6-WSC -10-US2	1000 X 600 X 1000 H.
K6-WSC -14-US2	1400 X 600 X 1000 H.
K6-WSC -18-US2	1800 X 600 X 1000 H.

Wall Cabinet with Sliding Doors – KEF Egypt Crafted from AISI 304 stainless steel (1.25 mm thickness), featuring two smooth sliding doors and an adjustable middle shelf. Built on a sturdy 40×40 mm square-tube frame—designed for efficient, hygienic storage in commercial kitchen environments.



- Corner WALL CABINET WITH SLIDING DOORS AND GRIDDED SHELVES

MODEL**DIMENSIONS**

K6-WCC -6-HD1	1000 X 600 X 850 H.
K6-WCC -6-HD1	1400 X 800 X 850 H.
K6-WCC -6-HD1	1800 X 800 X 850 H.

Corner Wall Cabinet with Sliding Doors & Gridded Shelves – KEF Egypt Designed for efficient corner space usage, this wall-mounted cabinet is built from AISI 304 stainless steel and features smooth sliding doors and internal gridded shelving. It combines durability and ventilation, making it an ideal storage solution for commercial kitchens and food service environments.



- WALL CABINET WITH SLIDING DOORS AND GRIDDED SHELVES

MODEL**DIMENSIONS**

K6-WSC-19 -GS-HD4	1900 X 400 X 600 H.
K6-WSC-24 -GS-HD4	2400 X 400 X 600 H.
K6-WSC-28 -GS-HD4	2800 X 400 X 600 H.

Wall Cabinet with Sliding Doors & Gridded Shelves – KEF Egypt Made from high-grade AISI 304 stainless steel with sliding doors and internal gridded shelving for efficient, hygienic storage in commercial kitchens.



STANDS



• Dishwasher Stand

MODEL

DIMENSIONS

	1800 X 800 X 850 H.
	2000 X 800 X 850 H.
	2400 X 800 X 850 H.

Crafted from AISI 304 stainless steel, this stand is designed to support commercial dishwashers securely. It features adjustable feet for stability and leveling, ensuring optimal performance in professional kitchen environments.



• Stand OF ALL COUNTER PRODUCTS

MODEL

DIMENSIONS

K6-STG-6	600 X 600 X 600 H.
K8-STG-8	800 X 800 X 600 H.
K8-STG-12	1200 X 800 X 600 H.

A heavy-duty professional stand engineered to support all KEF countertop cooking equipment, including cookers, fryers, griddles, charcoal grills, and compact ovens. Built from AISI 304 stainless steel, it provides maximum durability, hygiene, and long-term performance in commercial kitchens.



• Oven Stand with Pan Rack

MODEL

DIMENSIONS

	1800 X 800 X 850 H.
	2000 X 800 X 850 H.
	2400 X 800 X 850 H.

Designed from AISI 304 stainless steel, this stand securely supports commercial ovens and includes integrated pan racks for organized storage. Ideal for enhancing workflow in professional kitchen environments.





- Sink On Round Legs

MODEL**DIMENSIONS**K7-SS-9-B-
RL

900 X 700 X 850 H.

K7-SS-11-B-
RL

1100X 700 X 850 H.

K7-SS-14-B-
RL

1400 X 700 X 850 H.

Sink unit made from AISI 304 stainless steel, featuring round stainless steel legs with adjustable feet for stability and leveling. Ideal for heavy-duty use in commercial kitchens, ensuring hygiene and long-lasting performance.



- Sink On Legs with under shelf

MODEL**DIMENSIONS**

K7RDS13B

1300 X 700 X 850 H.

K7RDS16B

1600X 700 X 850 H.

K7RDS18B

1800 X 700 X 850 H.

Sink unit crafted from AISI 304 stainless steel, featuring a spacious basin, sturdy legs with adjustable feet, and an undershelf for additional storage. Designed for durability and hygiene in demanding commercial kitchen environments.



- SINK ON LEGS WITH UNDERSHELF WITH 3 BOWLS

MODEL**DIMENSIONS**K7-TS-18-B-
US

1800 X 700 X 850 H.

K7-TS-20-B-
US

2000X 700 X 850 H.

K7-TS-22-B-
US

2200 X 700 X 850 H.

Triple-bowl sink unit made from AISI 304 stainless steel, featuring an undershelf for added storage and sturdy legs with adjustable feet. Designed for high-capacity washing and optimal hygiene in commercial kitchen environments.



• DISH-WASHER ENTRY TABLE WITH WASTING HOLE

MODE

- K7-SS-9-B-LGH-US
- K7-SS-14-B-LGH-US
- K7-SS-18-B-LGH-US

DIMENSIONS

900 X 700 X 850 H.
1400X 700 X 850 H.
1800 X 700 X 850 H.

Dishwasher entry table constructed from AISI 304 stainless steel, featuring a wasting hole for efficient pre-rinsing and food waste disposal. Designed to streamline dishwashing workflow in commercial kitchen environments.



• Sink PREPARATION TABLE AND GARBAGE BIN

MODE

- K7-SS-9-B-MGH-PT6-US
- K7-SS-11-B-MGH-PT6-US
- K7-SS-14-B-MGH-PT6-US

DIMENSIONS

900 X 700 X 850 H.
1100X 700 X 850 H.
1400 X 700 X 850 H.

Stainless steel preparation table with integrated sink and built-in garbage bin, designed for efficient washing and waste disposal in commercial kitchen environments. Durable and hygienic for seamless food prep workflows.



• POTS AND PANS WASHING SINK ON CABINET

MODE

- K7-BS-9-B-HD2
- K7-BS-11-B-HD2
- K7-BS-14-B-HD2

DIMENSIONS

900 X 700 X 850 H.
1100X 700 X 850 H.
1400 X 700 X 850 H.

Robust washing sink made from AISI 304 stainless steel, mounted on a cabinet base for enclosed storage. Designed specifically for cleaning large pots and pans, ensuring durability and hygiene in commercial kitchen operations.



• CABINET HAND WASHING SINK WITH PEDAL CONTROL (by other)

MODEL

DIMENSIONS

K 6 - SP - 7	700 X 600 X 850 H.
K 7 - SP - 7	700X 700 X 850 H.

The KEF Cabinet Hand Washing Sink is a compact, hygienic solution designed for professional kitchens and food preparation areas. Manufactured from AISI 304 stainless steel, it ensures durability, corrosion resistance, and easy cleaning. The cabinet design provides concealed plumbing and a clean, professional appearance, while the sink is compatible with pedal control operation (optional) for hands-free hygiene compliance.



• TWIN BOWL SINK

MODEL

DIMENSIONS

K 7 - TWS - 5	500 X 700 X 850 H.
K 7 - TWS - 6	600X 700 X 850 H.
K 7 - TWS - 7	700 X 700 X 850 H.

The KEF Twin Bowl Sink is manufactured from AISI 304 stainless steel for durability, hygiene, and easy cleaning. Featuring two deep bowls for efficient washing and rinsing, it is designed for high-volume commercial kitchens. The elevated rear deck supports faucet installation, while adjustable stainless-steel feet ensure stability during operation.



• Sink DISHWASHER ENTRY TABLE

MODEL

DIMENSIONS

L7-LENT-11-B-US	1100 X 700 X 850 H.
L7-LENT-14-B-US	1400X 700 X 850 H.
L7-LENT-16-B-US	1600 X 700 X 850 H.

The KEF Sink Dishwasher Entry Table is a robust stainless-steel unit designed to streamline dishwashing workflows. Constructed from AISI 304 stainless steel, it includes an integrated sink and a spacious work surface with a rear backsplash. The lower shelf provides additional storage, making it ideal for restaurants, hotels, and catering facilities.



SHELVES



• SMOOTH WALL SHELF WITH BRACKETS

MODEL

DIMENSIONS

K4-SH-10

1000 X 400 X 300 H.

K5-SH-14

1400X 500 X 300 H.

K7-SH-18

1800 X 700 X 300 H.

Made from AISI 304 stainless steel, this smooth wall shelf includes sturdy support brackets for secure installation. Designed for durability and easy cleaning, it provides hygienic and efficient storage in commercial kitchen environments.

MODEL

DIMENSIONS

K4-SH
-9-GS

900 X 400 X 300 H.

K5-SH
-14-GS

1400X 500 X 300 H.

K6-SH
-18-GS

1800 X 600 X 300 H.



• PERFORATED WALL SHELF WITH BRACKETS & BOLTS INCLUDED

Manufactured from AISI 304 stainless steel, this perforated wall shelf ensures excellent ventilation and hygiene. Supplied with sturdy brackets and bolts for secure installation, it offers durable and efficient storage for commercial kitchen environments.

MODEL

DIMENSIONS

K4-SH-GS

900 X 400 X 300 H.

K5-SH-GS

1400X 500 X 300 H.

K6-SH-GS

1800 X 600 X 300 H.



• Grid Wall Shelf

Constructed from AISI 304 stainless steel, this grid-style wall shelf provides strong, ventilated storage for improved air circulation. Ideal for commercial kitchens, it ensures hygiene, durability, and efficient organization of utensils or equipment.



• **WALL RACK SHELF FOR BASKETS**

MODEL

DIMENSIONS

K5-RSH-9	900 X 500 X 600 H.
K7-RSH-11	1100X 700 X 850 H.
K7-RSH-14	1400 X 700 X 850 H.

Made from durable AISI 304 stainless steel, this wall rack shelf is designed to securely hold baskets, optimizing storage space in commercial kitchens and work areas. Its sturdy construction ensures long-lasting performance and easy cleaning.



• **OVER SHELF FOR BASKET FOR SORTING TABLE**

MODEL

DIMENSIONS

K5-RSH-9	900 X 500 X 600 H.
K7-RSH-11	1100X 700 X 600 H.
K7-RSH-14	1400 X 700 X 600 H.

Constructed from AISI 304 stainless steel, this over shelf is designed to hold baskets above sorting tables, maximizing workspace efficiency. Its sturdy build and hygienic finish make it ideal for commercial kitchen environments.



• **KEF Sneeze Guard**

MODEL

DIMENSIONS

K4-SG-S	1100 X 300 X 400 H.
K4-SG-S	1400 X 300 X 400 H.
K6-SG-S	1800 X 300 X 500 H.

The KEF Sneeze Guard is a hygienic protective barrier designed for food service counters and display stations. Constructed with a durable stainless-steel frame and clear tempered glass, it helps protect food from contamination while maintaining full product visibility. Ideal for buffets, serving lines, and food display areas.



• **SOLID WALL SHELVING UNIT**

MODEL

DIMENSIONS

K4-SU4-14	1400 X 400 X 1800 H.
K4-SU4-19	1900X 400 X 1800 H.
K5-SU4-14	1400 X 500 X 1800 H.

The **KEF Solid Wall Shelving Unit** is crafted from high-grade **AISI 304 stainless steel** for superior durability, hygiene, and long-lasting performance. Its robust shelves provide heavy-duty, organized storage, making it ideal for demanding commercial kitchens, restaurants, and catering operations.



• **BOLTED SHELVING - UNIT WITH 4 SHELVES AND 4 LEGS**

MODEL

DIMENSIONS

K4-SU4-9-GS	900 X 400 X 1800 H.
K5-SU4-13-GS	1300X 500 X 1800 H.
K6-SU4-16-GS	1600 X 600 X 1800 H.

The **KEF Bolted Shelving Unit** is constructed from high-grade **AISI 304 stainless steel** for maximum durability, hygiene, and long-term performance. Featuring four robust shelves and reinforced legs, it provides heavy-duty, organized storage—ideal for demanding commercial kitchens, restaurants, and catering operations.



TROLLEYS



• Stainless Steel Platform Trolley

MODEL

DIMENSIONS

K5-TRR-9

900 X 500 X 900 H.

K6-TRR-9

900X 600 X 900 H.

K6-TRR-10

1000 X 600 X 900 H.

Constructed from AISI 304 stainless steel with a 1.5 mm thick platform, this trolley is built for durability and reliability, supporting up to 450 kg. For added convenience, it can be fitted with optional 6" German wheels with brakes, providing smooth and safe mobility. Ideal for kitchens, warehouses, and commercial environments where efficiency and strength are essential.



• SHELVES TROLLEY

MODEL

DIMENSIONS

K5.5-TRH-8-SH3

800 X 550X 850 H.

K6-TRH-9-SH3

900X 600X 850 H.

Made from high-quality AISI 304 stainless steel, this meat hanger is designed for secure and hygienic hanging of meat products in commercial kitchens, butcheries, and cold storage rooms. Its robust construction ensures durability and easy cleaning.



• FrostGuard Meat TROLLEY

MODEL

DIMENSIONS

K6-TRH-12

1200 X 750 X 1650 H.

K6-TRH-15

1500X 750 X 1650 H.

The KEF FrostGuard Meat Trolley is a durable and hygienic solution for transporting and storing meat in commercial kitchens and food processing facilities. Crafted from premium AISI 304 stainless steel and featuring KEF's FrostGuard insulation system, it keeps meat fresh while minimizing condensation. Equipped with heavy-duty casters for smooth mobility and secure locking, this trolley combines reliability, safety, and ease of cleaning, making it ideal for hotels, restaurants, butcheries, and catering services.



• MEAT HANGER

MODEL

DIMENSIONS

K6-TRH-12

1200 X 600 X 2000 H.

K6-TRH-15

1500X 600 X 2000 H.

K7-TRH-18

1800 X 700 X 2000 H.

Made from high-quality AISI 304 stainless steel, this meat hanger is designed for secure and hygienic hanging of meat products in commercial kitchens, butcheries, and cold storage rooms. Its robust construction ensures durability and easy cleaning.



KEF
KITCHEN
EQUIPMENT
FACTORY



REFRIGERATION



- Single-Door Cabinet

MODEL

K8R-RC-07

DIMENSIONS

700X 700 X 2100 H.

K8R-FC-07

700X 700 X 2100 H.

The KEF Single-Door Cabinet available as a refrigerated or freezer unit, is built from high-quality AISI 304 stainless steel, ensuring strength, hygiene, and long-lasting performance in demanding commercial environments.

Featuring a powerful refrigeration system for stable and uniform cooling, it maintains precise temperature levels to preserve food quality and safety. The full stainless-steel door provides excellent insulation, while adjustable internal shelves offer flexible storage options. Designed for continuous professional use, this cabinet delivers reliability, efficiency, and smooth operation in any commercial kitchen.



- Double-Door Cabinet

MODEL

K7R-RC-14


DIMENSIONS

1400 X 700 X 2100 H.

KR-FC-14

1400 X 700 X 210 H.

The KEF 2-Door Cabinet, available as a refrigerated or freezer unit, is constructed from premium AISI 304 stainless steel, ensuring durability, hygiene, and long-term performance. Its efficient cooling/freezing system maintains stable temperatures, while fully insulated double doors enhance energy efficiency. Adjustable interior shelving provides versatile storage, making it ideal for demanding commercial kitchens.



KEF
KITCHEN
EQUIPMENT
FACTORY

REFRIGERATED CABINET TABLE



• REFRIGERATED VENTILATED CABINET TABLE WITH 2 DOORS

MODEL

K7R-CF-15

DIMENSIONS

1500 X 700 X 850 H.

K9R-CF-15

1500 X 900 X 850 H.

The KEF Refrigerated Ventilated Cabinet Table with Two Doors is built from premium AISI 304 stainless steel, delivering reliable cooling performance and a durable work surface. Its ventilated refrigeration system ensures fast, uniform chilling, while the fully insulated doors maintain temperature stability. Designed for optimal storage of GN 1/1 trays, it features adjustable stainless-steel shelves and a reinforced top—providing efficient, professional-grade performance in any commercial kitchen.



• REFRIGERATED VENTILATED CABINET TABLE WITH THREE DOORS

MODEL

K7R-CF-19

DIMENSIONS

1900 X 700 X 850 H.

K9R-CF-19

1900 X 900 X 850 H.

The KEF Three-Door Refrigerated Ventilated Cabinet Table is made from AISI 304 stainless steel for durability and hygiene. Its ventilated system ensures fast, uniform chilling, while fully insulated doors maintain stable temperatures. Designed for GN 1/1 tray storage with adjustable shelves and a reinforced top for professional kitchen use.



• 1-DOOR REFRIGERATED VENTILATED CABINET WITH 3 STORAGE DRAWERS

MODEL

K7RCF15
D3HD1

DIMENSIONS

1500 X 700 X 850 H.

K7RCF16
D3HD1

1500 X 700 X 850 H.

The KEF Refrigerated Ventilated Cabinet Table with 1 Door and 3 Drawers is made from high-quality AISI 304 stainless steel for durability and hygiene. Its ventilated refrigeration system ensures fast, uniform cooling, while the fully insulated door maintains stable temperatures. Three heavy-duty drawers provide organized GN 1/1 tray storage, making it ideal for professional kitchens.



PREP COUNTER WITH 2 DOORS & 3 DRAWERS

MODEL

K6RCF19
D3HD2

1900 X 600 X 850 H.

K7RCF19
D3HD2

1900 X 700 X 850 H.

K9RCF19
D3HD2

1900 X 900 X 850 H.

The KEF Prep Counter with 2 Doors & 3 Drawers is built from AISI 304 stainless steel and features a ventilated system that ensures fast, even cooling. It can operate as a chiller or freezer, offering flexible storage for GN 1/1 containers. Equipped with insulated doors, smooth heavy-duty drawers, and a reinforced worktop, it's ideal for high-performance preparation areas.



PREP COUNTER CABINET WITH 6 DRAWERS

MODEL

K7RCF
15D6

1500 X 700 X 850 H.

K7RCF
16D6

1600 X 700 X 850 H.

K7RCF
18D6

1800 X 700 X 850 H.

The KEF Six-Door Refrigerated Ventilated Cabinet Table is crafted from high-quality AISI 304 stainless steel for durability and hygiene. Its ventilated refrigeration system delivers fast, uniform chilling, while fully insulated doors maintain stable temperatures. Designed for efficient GN 1/1 tray storage, it features adjustable shelves and a reinforced top—ideal for demanding commercial kitchens..



• PREP COUNTER CABINET WITH 9 DRAWERS

MODEL

K7RCF19D9

1900 X 700 X 850 H.

K7RCF24D9

2400 X 700 X 850 H.

The KEF Nine-Door Refrigerated Ventilated Cabinet Table is built from premium AISI 304 stainless steel for durability and hygiene. Its ventilated refrigeration system ensures fast, uniform chilling, while fully insulated doors maintain stable temperatures. Designed for efficient GN 1/1 tray storage, it includes adjustable shelves and a reinforced top—perfect for high-demand commercial kitchens.



- REFRIGERATED VENTILATED CABINET (Low Boy) TABLE WITH 6 drawers

MODEL**DIMENSIONS****K7RUCF19D6**

1900 X 700 X 600 H.

K7RUCF24D6

2400 X 700 X 600 H.

The KEF Low Boy Table with 6 Drawers is made from AISI 304 stainless steel for durability and hygiene. Its ventilated system ensures fast, uniform chilling, while fully insulated construction maintains stable temperatures. Nine heavy-duty drawers provide organized GN 1/1 pan storage for professional kitchens.



- Refrigerated Pizza Prep Table – Ventilated, 2 Doors

MODEL**DIMENSIONS****K7RRP15HD2**

1500 X 700 X 850 H.

K7RRP15HD2

1500 X 900 X 850 H.

The KEF Refrigerated Pizza Prep Table with two doors is constructed from premium AISI 304 stainless steel for durability, hygiene, and long-lasting performance. Its ventilated refrigeration system ensures fast, uniform cooling, while the fully insulated doors maintain stable temperatures. Designed for efficient preparation and storage of pizza ingredients, it features a spacious work surface and adjustable shelves—ideal for high-demand commercial kitchens, pizzerias, and catering operations.



- REFRIGERATED SHELF (basins not included) WITH GLASS

MODEL**DIMENSIONS****K-RSGL10**

1000 X 320 X 410 H.

K-RSGL14

1400 X 320 X 410 H.

K-RSGL20

2000 X 320 X 410 H.

The KEF Refrigerated Shelf is made from premium AISI 304 stainless steel for durability and hygiene. Designed with tempered glass for visibility, it keeps stored items cool while allowing easy access. Basins are not included. Ideal for commercial kitchens, buffets, and catering operations for organized and professional food storage.



HOT LINE



HOODS



• WALL EXHAUST HOOD

MODEL

DIMENSIONS

K10-WH-11

1100 X 1000 X 500 H.

K10-WH-15

1500 X 1000 X 500 H.

K10-WH-30

3000 X 1000 X 500 H.

The Wall Hood by KEF Egypt is a high-performance ventilation solution crafted from 304 stainless steel. It efficiently removes smoke, steam, and odors in commercial kitchens, providing powerful suction for optimal air quality. Its sleek design ensures both functionality and style, making it ideal for restaurants, hotels, and foodservice operations.



• CENTRAL EXHAUST HOOD

MODEL

DIMENSIONS

K10-IH-10

1420 X 690 X 810 H.

K28-IH-33

3300 X 2800 X 500 H.

K25-IH-45

4500 X 2500 X 850 H.

The Wall Hood by KEF Egypt is a high-performance ventilation solution crafted from 304 stainless steel. It efficiently removes smoke, steam, and odors in commercial kitchens, providing powerful suction for optimal air quality. Its sleek design ensures both functionality and style, making it ideal for restaurants, hotels, and foodservice operations.



• Dual-Skin Exhaust Hood

MODEL

DIMENSIONS

K10-DSH

1100 X 1000 X 500 H.

K10-DSH

2000 X 1000 X 500 H.

K15-DSH

3000 X 1500 X 500 H.

The Wall Hood by KEF Egypt is a high-performance ventilation solution crafted from 304 stainless steel. It efficiently removes smoke, steam, and odors in commercial kitchens, providing powerful suction for optimal air quality. Its sleek design ensures both functionality and style, making it ideal for restaurants, hotels, and foodservice operations.



HOT LINE

RANGES





• GasMaster 4-Burner Counter

MODEL

K6CG-R4S-6

DIMENSIONS

600 X 600 X 350 H.

K6CE-SP4S-6

600 X 600 X 350 H.

The KEF GasMaster 4-Burner Counter is a compact, yet powerful cooking solution designed for professional kitchens requiring high performance in limited spaces. Manufactured from premium stainless steel, it ensures durability, hygiene, and long-term reliability. The unit features four high-efficiency gas burners with independent controls, delivering precise heat regulation for consistent cooking results. The GasMaster Counter is ideal for restaurants, hotels, cafeterias, and catering operations seeking efficiency, safety, and professional performance.



• GAS 4 RANGE COUNTER

MODEL

K6CG-R4S-8

DIMENSIONS

800 X 600 X 300 H.

K9CG-R4S-8

800 X 900 X 300 H.

K12CG-R4S-8

800 X 1200 X 300 H.

The KEF Gas 4 Range Counter is constructed from premium AISI 304 stainless steel for durability, hygiene, and reliable performance. Featuring four high-efficiency gas burners, it provides fast, even heating for consistent cooking results. Designed for heavy-duty commercial kitchens, it offers a professional solution for high-volume operations.



• GAS 4 RANGE WITH OVEN

MODEL

K7G-R4S-8-O

DIMENSIONS

800 X 700 X 850 H.

K9G-R4S-8-O

800 X 900 X 850 H.

K12G-R4S-8-O

800 X 1200 X 850 H.

The KEF Gas 4 Range with Integrated Oven is built from high-grade AISI 304 stainless steel for durability, hygiene, and reliable performance. Equipped with four high-efficiency gas burners, it delivers fast, even heating, while the built-in oven ensures precise temperature control for consistent baking and roasting. Ideal for commercial kitchens, it provides professional-grade cooking efficiency and smooth operation.



• GAS 6 RANGE COUNTER

MODEL

K6CG-R6S-12

DIMENSIONS

1200X 600X 300 H.

K9CG-R6S-12

1200 X 900 X 250 H.

K12CG-R6S-12

1200 X 1200 X 250 H.

The KEF Gas 6 Range Counter is crafted from premium AISI 304 stainless steel for durability, hygiene, and reliable performance. Featuring six high-efficiency gas burners, it provides fast, even heating for consistent cooking results. Designed for heavy-duty commercial kitchens, it offers a professional solution for high-volume operations.



• GAS 6 RANGE WITH OVEN

MODEL

K7G-R6S-12-O

DIMENSIONS

1200 X 700 X 850 H.

K9G-R6S-12-O

1200 X 900 X 850 H.

K12G-R6S-12-O

1200 X 1200 X 850 H.

The KEF Gas 6 Range with Integrated Oven is constructed from high-grade AISI 304 stainless steel for durability, hygiene, and long-lasting performance. Equipped with six high-efficiency gas burners, it provides fast, even heating, while the built-in oven ensures precise temperature control for consistent baking and roasting. Ideal for high-demand commercial kitchens, it delivers professional-grade cooking efficiency and reliability.



• SQUARE ELECTRIC 4 PLATE COUNTER

MODEL

K7CE-SP4S-8

DIMENSIONS

800 X 700 X 300 H.

K9CE-SP4S-8

800 X 900 X 850 H.

K12CE-SP4S-8

800 X 1200X 850 H.

The KEF Square Electric 4 Plate Counter is crafted from premium AISI 304 stainless steel for durability and hygiene. Equipped with four high-efficiency electric plates, it ensures fast, even heating for reliable cooking performance. Designed for compact, heavy-duty commercial kitchens, it offers a professional solution for high-volume operations.



• ELECTRIC RANGE 4 PLATE WITH OVEN

MODEL

K7E-SP4S-8-O

K9E-SP4S-8-O

K12E-SP4S-8-O

DIMENSIONS

800 X 700 X 850 H.

800 X 900 X 850 H.

800 X 1200 X 850 H.

The KEF Electric Range with 4 Hot Plates and Integrated Oven is built from premium AISI 304 stainless steel for durability, hygiene, and reliable performance. Its four high-efficiency electric plates provide fast, even heating, while the built-in oven offers precise temperature control for consistent baking and roasting. Ideal for commercial kitchens, it delivers professional-grade cooking efficiency and smooth operation.



6-Burner Electric Plate Counter

MODEL

K7CE-SP6S-12

K9CE-SP6S-12

DIMENSIONS

1200 X 700 X 300 H.

1200 X 900 X 250 H.

The KEF Sixth Electric Plate Counter is constructed from high-quality AISI 304 stainless steel, ensuring durability and excellent heat resistance. Equipped with six high-efficiency electric hot plates, it delivers fast, even heating for reliable cooking performance. Designed for heavy-duty commercial use, it provides a compact, professional solution for high-volume kitchen operations.



• ELECTRIC RANGE 6 PLATE WITH OVEN

MODEL

K7E-SP6S-12-O

K9E-SP6S-12-O

K12E-SP6S-12-O

DIMENSIONS

1200 X 700 X 850 H.

1200 X 900 X 850 H.

1200 X 1200 X 850 H.

The KEF Electric Range with 6 Hot Plates and Integrated Oven is built from high-grade AISI 304 stainless steel, offering durability, hygiene, and powerful cooking performance. Its six high-efficiency electric plates provide fast, even heating, while the heavy-duty electric oven delivers precise temperature control for reliable baking and roasting. Designed for demanding commercial kitchens, it ensures consistent results and smooth, professional operation.



KITCHEN
EQUIPMENT
FACTORY



• KEF DECK OVEN – ELECTRIC / GAS (1 DECK)

MODEL DIMENSIONS

K-DO-E1

1000 X 900 X 650 H.

K-DO-G1

1000 X 900 X 650 H.

The KEF 1-Deck Oven is available in electric or gas versions, delivering uniform heat distribution and consistent baking performance. Designed for professional bakeries and kitchens, it is ideal for bread, pizza, and pastry production. The gas version can be equipped with an integrated electric salamander

MODEL DIMENSIONS

K-DO-E2

1000 X 900 X 1000 H.

K-DO-G2

1000 X 900 X 1000 H.



• KEF DECK OVEN – ELECTRIC / GAS (2 DECK)

The KEF 2-Deck Oven offers higher capacity with electric or gas operation and independent deck control for efficient, uniform baking. Built for continuous professional use, it is ideal for high-demand kitchens and bakeries. The gas model supports electric salamander integration, adding versatile top-heating and finishing capabilities.

MODEL DIMENSIONS

K-DO-E3

1000X 900 X 1450 H.

K-DO-G3

1000 X 900 X 1650 H.



• KEF DECK OVEN – ELECTRIC / GAS (3 DECK)

The KEF 3-Deck Oven is a high-capacity professional baking solution, available in electric or gas configurations. Designed for continuous production, it delivers consistent results across all decks. The gas version can be fitted with an electric salamander unit, combining baking and top-grilling functions in one integrated system.



KITCHEN
EQUIPMENT
FACTORY



• CHARCOAL GRILL

MODEL

K7G-CHG-9

DIMENSIONS

800 X 900 X 850 H.

K7G-CHG-12

1200 X 900 X 850 H.

The KEF Charcoal Grill is a high-performance unit crafted from AISI 304 stainless steel with a 1.25 mm body and 1.5 mm top ensuring exceptional durability and corrosion resistance. Equipped with high-efficiency gas burners and precision control knobs, it delivers stable, even heat for perfect grilling results. A removable grease tray allows easy cleaning, while the cabinet base offers convenient storage.



• ELECTRIC / GAS TILTING PAN

MODEL

K7E-TP-9

DIMENSIONS

800 X 900 X 850 H.

K9E-TP-9

800 X 900 X 850 H.

K9G-TP-9

1200X 900 X 850 H.

The KEF Tilting Pan, available in electric or gas models, is constructed from premium AISI 304 stainless steel for durability, hygiene, and optimal heat distribution. It features precise temperature control and a smooth tilting mechanism for safe, effortless discharge of contents. Ideal for sauces, stews, soups, and bulk cooking, it delivers consistent, professional results in demanding commercial kitchens.



• ELECTRIC / GAS BOILING PAN

MODEL

K9E-BP-8

DIMENSIONS

900X 900 X 850 H.

K9G-BP-8

900 X 900X 850 H.

The KEF Boiling Pan, available in both electric and gas models, is crafted from high-grade AISI 304 stainless steel for durability, hygiene, and superior heat distribution. Engineered for high-capacity cooking, it delivers powerful heating performance with precise temperature control for consistent results. Ideal for preparing soups, stocks, sauces, and bulk production, its reinforced pan body and smooth, reliable controls make it a dependable choice for demanding commercial kitchens.



• **ELECTRIC / GAS SINGLE FRYER**

MODEL

DIMENSIONS

K9E-SF-8-20

400 X 700 X 850 H.

K9E-SF-8-20

400 X 900 X 850 H.

K9G-SF-9-20

400 X 700 X 850 H.

K9G-SF-9-20

400 X 900 X 850 H.

The KEF Single Fryer, available in electric or gas, is built from AISI 304 stainless steel for durability and hygiene. It features a spacious oil tank, precise temperature control, and a removable frying basket for easy handling. Perfect for consistent, high-quality frying in restaurants and commercial kitchens.



• **ELECTRIC / GAS TWIN FRYER COUNTER**

MODEL

DIMENSIONS

K6CG-DF-6-10

800 X 700 X 300 H.

K7CE-DF-8-15

800 X 900 X 300 H.

K6CG-DF-6-10

800X 700 X 300 H.

K6CG-DF-7-15

800 X 900 X 300 H.

The KEF Twin Fryer Counter, electric or gas, is made from AISI 304 stainless steel with two oil tanks, precise temperature controls, and removable baskets. Perfect for high-volume frying in commercial kitchens.

MODEL

DIMENSIONS

K7EDF8

800 X 700 X 850 H.

K9EDF8

800 X 900 X 850 H.

K7GDF8

800 X 700 X 850 H.

K9GDF8

800 X 900 X 850 H.

The KEF Twin Fryer, available in electric or gas models is made from 304 stainless steel with 2 baskets and precise temperature control for easy handling, and fast, for high-volume frying in restaurants and commercial kitchens.



• **Electric / GAS TWIN FRYER**



• Electric & Gas Grill Counter

MODEL

K9E-CSR8

DIMENSIONS

900X 800 X 300 H.

K9G-CSR8

900 X 800 X 300 H.

The KEF Electric & Gas Grill Counter is a versatile and robust solution for high-performance grilling in commercial kitchens. Constructed from premium AISI 304 stainless steel, it ensures durability, hygiene, and easy cleaning. It can operate on electric or gas power, providing consistent heat and flexible cooking options. With a spacious grilling surface and user-friendly controls, this counter delivers efficiency, safety, and reliability for restaurants, hotels, and catering operations.



• Electric & Gas Grill

MODEL

K9GSRG8

800 X 900 X 850 H.

K9GSRG12

1200 X 900 X 850 H.

High-performance KEF grill made from durable AISI 304 stainless steel, designed for heavy-duty commercial use. The 80 × 90 × 85 cm unit delivers powerful, even heating with electric (K9ESRG8) or gas (K9GSRG8) options. Features a ribbed plate, precise controls, and an easy-clean grease drawer for reliable daily operation.



• ELECTRIC BAIN MARIE

MODEL

K7E-WBM-12

1200 X 700 X 850 H.

K7E-WBM-15

1500 X 700 X 850 H.

K7E-WBM-18

1800 X 700 X 850 H.

The KEF Electric Bain Marie is a compact, insulated food warmer manufactured from AISI 304 stainless steel (1.5 mm). It operates on 380V, providing efficient and stable heating for professional kitchens. Designed with a GN 1/1 capacity, this counter-top unit features an adjustable thermostat for precise temperature control and a drain tap for easy cleaning.

CONTAINERS AND LIDS ARE NOT INCLUDED.

MODEL**K7-WBM-15-SG****DIMENSIONS****1500 X 700 X 850 H.****K7-WBM-18-HSG****1800 X 700 X 850 H.****Electric / Heated Food Counter with 4 Bays**

The KEF 4-Bay Food Counter is built from premium AISI 304 stainless steel for durability, hygiene, and long-lasting performance. It includes four heated stainless-steel food pans with adjustable electric temperature control and a user-friendly on/off switch. A fixed glass sneeze guard with elegant gold support posts ensures safe food display, while sliding doors beneath provide practical storage. The unit is supported on adjustable stainless-steel legs and can be customized to fit any buffet, cafeteria, hotel, or high-volume catering setup.

Bain-Marie with Sneeze Guard (**K7-WBM-15-SG**): Designed to maintain optimal food temperature while ensuring hygiene, crafted by KEF (Egypt).

Heated Bain-Marie with Sneeze Guard (**K7-WBM-15-HSG**): Combines efficient heating with protective design for safe food service, manufactured by KEF

Bain-Marie with Sneeze Guard and Lighting (**K7-WBM-15-LSG**): Enhances food presentation with integrated lighting while maintaining safety, produced by KEF

Bain-Marie with Upper Shelf (**K7-WBM-15-OS**): Offers additional display capacity for efficient service, expertly engineered by KEF (Egypt).

Heated Bain-Marie with Upper Shelf (**K7-WBM-15-HOS**): Provides consistent heating and expanded display space, developed by KEF (Egypt).

MODEL**K8-HC-7-18P****DIMENSIONS****700 X 800 X 1800 H.****• HeatGuard Mobile Hot Cabinet**

The KEF HeatGuard Mobile Hot Cabinet is built from premium AISI 304 stainless steel, ensuring durability and hygienic performance. Designed to keep food at safe serving temperatures, it features efficient heating elements and uniform heat distribution. Equipped with heavy-duty castor wheels, the unit is fully mobile, allowing easy movement across the kitchen. Adjustable shelves provide flexible GN pan storage, making it ideal for busy commercial operations.



• HeatMaster Hot Counter Cabinet

MODEL

K7E-HC-14

DIMENSIONS

1400 X 700 X 850 H.

K9E-HC-14

1400 X 900 X 850 H.

The KEF HeatMaster Hot Counter Cabinet is designed to maintain food at optimal serving temperatures in professional food service environments. Constructed from premium stainless steel, it ensures durability, hygiene, and long-lasting performance. The cabinet features efficient heating with precise temperature control, allowing consistent heat distribution while preserving food quality. With its ergonomic design and practical storage capacity, the HeatMaster is ideal for buffets, hotels, restaurants, cafeterias, and catering operations requiring reliable hot food holding and service.



• PASTA COOKER

MODEL

K9E-PC-4

DIMENSIONS

400 X 900 X 850 H.

K9G-PC-4

400 X 900 X 850 H.

The Pasta Cooker by KEF Egypt is expertly designed for efficient and high-performance cooking in commercial kitchens. Constructed from 304 AISI 18/10 stainless steel with a thickness of 1.5 mm, it ensures durability and easy maintenance. The pan bottom is reinforced with 2 mm thickness for optimal heat distribution. Featuring Western industry burners and a faucet, it delivers reliable cooking results, making it the ideal choice for pasta preparation in restaurants, hotels, and catering services.



• CHIPS SCUTTLE (1 OR 2 LAMP)

MODEL

K3.5C-BW-6

DIMENSIONS

600X 350 X 500 H.

K3.5C-BW-12

1200 X 350 X 500 H.

The KEF Chips Scuttle, with 1 or 2 adjustable lamps, is made from AISI 304 stainless steel to keep fried foods warm and crisp—ideal for restaurants and catering kitchens.



• CHIPS SCUTTLE (4 LAMP)

MODEL

K6C-BW-6

DIMENSIONS

600X 600 X 500 H.

The KEF Chips Scuttle, with 4 adjustable lamps, is made from AISI 304 stainless steel to keep fried foods warm and crisp—ideal for restaurants and catering kitchens.



• KEF Chips Warming Station

MODEL

K6E-BW-7

DIMENSIONS

700 X 600 X 1500 H.

K7E-BW-7

700 X 700 X 1500 H.

K9E-BW-7

700 X 900 X 1500 H.

The KEF Chips Warming Station – 2 Lamp is a compact stainless-steel unit designed to keep fried foods warm and ready for service. Equipped with two infrared heating lamps, it provides even heat distribution while maintaining food texture and quality. Ideal for fast-food outlets, restaurants, and catering operations, it ensures efficient holding and smooth service flow.



• SALAMANDER

MODEL

K5E-SL-6

DIMENSIONS

600 X 500 X 400 H.

The KEF Salamander is built from premium AISI 304 stainless steel, ensuring durability, hygiene, and reliable performance. It provides high-intensity, adjustable top heat for grilling, browning, and finishing dishes with precision. Ideal for commercial kitchens, restaurants, and catering operations, it delivers consistent professional results with ease of use and efficient operation.



CONTACT US



3rd settlement, North of
Qatameyia - Ain Sokhna Road,
Industrial Zone, Block No.416, New
Cairo, Egypt.



- +201153552222
- +201144149567
- +201115005512



kef-factory.com



info@kef-factory.com